Hall GS, 161
Hamakawa H, 349
Hanson JR, 291
Har-El G, 233
Hartnick C, 9
Hathaway B, 255
Hazarika P, 136
Hempel JM, 190
Hicks W Jr., 54
Hilgert E, 190
Hirsch B, 255
Ho K-Y, 101
Ho W-k, 186
Honda K, 64
Hsu J, 344
Hsu JM, 244
Huang C-C, 370
Huang W-H, 275
Hudak DT, 409
Hui Y, 186
Hwang C-F, 370

I
Iezza G, 259
Imperiali M, 330
Iordanidis F, 281
Ippoliti F, 401
Isaacson G, 72
Isaacson JE, 139
Ishikawa K, 64
Isokane M, 349

J
Jacob SM, 136
Jameson M, 86
Janwityanujit T, 143
Jariengprasert C, 143
Jeong H-S, 5, 306
Jiang R-S, 46
Joachims HZ, 413
Job A, 133
Jordan TR, 190
Jun B-C, 396

K
Kakiuchi M, 81
Kalimeras E, 281
Kamath P, 373
Kampouridis S, 422
Kansal S, 68
Kao Y-F, 370
Kara B, 278
Karaaslan S, 150
Karakinaris G, 281
Kariya S, 81
Karkos PD, 200
Keogh I, 390
Khodai N, 430
Kim EU, 353
Kim HH, 353
Klemens C, 190
Ko AB, 146
Ko M-T, 370
Kojima H, 299, 418
Kossowski M, 207
Kountakis SE, 86
Koutsopoulos AV, 217
Koybasi S, 229
Kramer MF, 190
Krishna PD, 355
Kuhn FA, 263
Kumai Y, 58, 425
Kumar A, 68
Kuo W-R, 101
Kuruvilla G, 133
Kushnir M, 91
Kyrmizakis DE, 217

L
Laffers W, 214
Lam P, 186
Lamarre E, 61
Laothamatas J, 143
Le Page P, 207
Lee D-H, 396
Lee DJ, 271
Lee I-W, 358
Lee J-H, 396
Lee K-W, 101
Leong SC, 200
Lequeux T, 422
Li H-Y, 433
Liang C-W, 433
Liang J, 71
Lin C-C, 109
Lin J-C, 46
Litofsky S, 271
Loehrl TA, 154
Lopez-Escamez JA, 173
Loree T, 54
LoTempio MM, 295
Louryan S, 422
Luboshitzky R, 204
Lui C-C, 370
Luinetti O, 287

M
Malhotra S, 362
Malone JP, 355
Maly A, 50
Maly B, 50
Mandell DL, 443
Manolidis S, 166
Marchese-Ragona R, 221
Marioni G, 221
Markham J, 238
Mastronicola R, 401
Mathew M, 362
Mazzaferri EL, 24
McGinn J, 409
McGuirt WF Sr., 1
Meadows KM, 24
Mendenhall WM, 24
Merati AL, 106
Merkonidis C, 323, 327
Meyer AC, 76
Michaels L, 71
Mihos PT, 341
Minvielle F, 207
Mojica P, 54
Molina MI, 173
Moore EJ, 436
Mori E, 418
Moriyama H, 299, 418
Morris CG, 24
Moscillo L, 330
Motley T, 29
Motta G, 330
Mueller DT, 72
Muñoz-Guerra MF, 129

N
Nagai N, 81
Nagatsuka H, 81
Nalini B, 39
Naval-Gías L, 129
Nayak DR, 362
Netzer A, 413
Nishizaki K, 81
Nudo S, 378

O
Ogata N, 58
Oh A, 54
Okano M, 81
Öktem F, 278
Okuhira T, 349
Ondolo C, 96
Ondrey FG, 76
Oran B, 150
Orita S, 81
Orita Y, 81
Özcan C, 314

P
Pagella F, 287
Pai SI, 346
Panda NK, 225, 366

Pang KP, 112
Papadaki E, 217
Papadakis D, 217
Paparella MM, 334
Park S-N, 396
Parlak AH, 229
Pearson SE, 76
Peng J-P, 370
Peng P, 233
Persaud R, 71
Pfrogner E, 190
Phudhichareonrat S, 143
Pillai S, 136
Pollak L, 91
Potaris K, 341
Pragache G, 366
Prasad HKC, 179
Prasad SC, 179
Prasannaraj T, 373
Prepageran N, 310
Price DL, 436
Pulice G, 401
Punnoose SE, 136

Q
Qadeer MA, 119

R
Rabinowitz P, 18
Raghunathan M, 225
Raja A, 362
Rakover Y, 204
Ralli G, 401
Raman R, 310
Ranjith VT, 133
Rao RV, 362
Rasp G, 190
Rawluk D, 390
Reisli İ, 150
Restivo DA, 221
Rigual N, 54
Rinaldo A, 73, 334
Rodríguez-Campo FJ, 129
Roy A, 136
Rudnick EF, 266
Russo EE, 166

S
Saint-Blancard P, 207
Sakurai Y, 299
Samejima Y, 425
Saravanan K, 366
Sastre-Pérez J, 129
Saussez S, 422
Schachern PA, 334
Schaitkin BM, 146
Schindler A, 378
Schindler O, 378
Schoendorff G, 129
Schraff SA, 238
Schrock A, 214
Schwetschenau EL, 72
Scurry WC, 61
Scurry WC Jr, 139, 409
Selvakumar P, 133
Semino L, 287
Serin D, 229
Serin E, 229
Shaha AR, 73
Shemirani N, 106
Shenoy V, 179
Shintani S, 349
Shiwa M, 299
Silver CE, 73
Simons JP, 443
Sircar K, 18
Sivakumar K, 310
Slade M, 18
Smith JL II, 244
Smith TL, 106, 154
Smith TW, 271
Smith W, 323, 327
Solares CA, 161
Son Y-I, 5
Song C-E, 396
Spiegel JH, 430
Stack B, 61
Stack BC Jr, 409
Staffieri A, 221
Stathopoulou S, 341
Strome M, 13, 119
Stryjer R, 91
Studeman KD, 346
Su M-C, 46
Sullivan M, 54
Sumer B, 33
Sumida T, 349
Suryanarayan Rao S, 366
Suzuki S, 64

T
Tai C-F, 101
Taiwo O, 18
Tan D, 54
Tanaka Y, 299, 418
Terris DJ, 112
Tessler HH, 68
Tibesar RJ, 436
Todeschini A, 287
Toohill RJ, 106, 154
Triantafillidou K, 281
Tsai M-H, 109
Tsujigiwa H, 81
Tsuprun V, 334
Tufano RP, 346
Twynholm M, 248

U
Uchimizu H, 418
Upile T, 71

V
Vaezi MF, 119
Valiathan M, 362
Vayisoglu Y, 314
Velegrakis G, 217
Verma RK, 225
Vernon SE, 406
Villaret DB, 24
Vinayak S, 39

W
Walsh M, 390
Walsh RMC, 390
Waltonen J, 33
Wang L-F, 101
Wang MB, 295
Wang Y, 64
Weber PC, 149
Wei WI, 186
Wein RO, 268
Welch C, 238
Westbrook BJ, 409
Westerman ST, 413
Westra WH, 346
Wilson DF, 353
Wright A, 71

Y
Yamawaki Y, 211
Yang TL, 259
Yeo S-W, 396
Yilmaz F, 229
Yılmaz S, 278
Yoshinobu J, 81
Yumoto E, 58, 425
Yung M, 323, 327

Z
Zappoli F, 287
Zouloumis L, 281

Available online at www.sciencedirect.com
ScienceDirect
American Journal of OTOLARYNGOLOGY
ELSEVIER
American Journal of Otolaryngology–Head and Neck Medicine and Surgery 27 (2006) 449–454
www.elsevier.com/locate/amjoto

Subject Index

A

ABRS *see* Acute bacterial rhinosinusitis
Acute bacterial rhinosinusitis (ABRS)
  efficacy/safety of amoxicillin/clavulanate in adults with, 248
Adenocarcinoma, papillary cystic low-grade
  of endolymphatic sac epithelium, 362
Adenoma, parathyroid
  sporadic concurrence of parathyroid carcinoma and, 346
Aerodigestive tract
  foreign bodies in, clinical study of cases of, 373
Amoxicillin/clavulanate
  efficacy/safety of, in adults with acute bacterial rhinosinusitis (ABRS), 248
Anterior nares
  for severe stenosis of, para-alar crescentic subcutaneous pedicle flap, 211
Anticoagulants, oral
  upper airway obstruction secondary to the use of, 129
Apophysomyces elegans
  sinoorbital mucormycosis by, in immunocompetent individuals, 366
Aspirin
  EDCR in patients with distal nasolacrimal obstruction taking, perioperatively, 323
Aspirin triad disease (ATD)
  long-term asthma outcomes after endoscopic sinus surgery in, 154
Audiovestibular dysfunction
  in patients with alcohol dependence and comparison with social users of alcohol and complete abstainers, 225

B

Benign paroxysmal positional vertigo (BPPV)
  anterior semicircular canal, and positional downbeating nystagmus, 173
  approach to bilateral (bBPPV), 91
BL *see* Burkitt's lymphoma
Bone conduction
  variation in, in patients undergoing stapedotomy, 330
Botulinum toxin
  role of, in postparotidectomy fistula treatment, 221
Botulinum toxin A (BTX-A)
  effect of intranasal injection of, on vasomotor rhinitis, 314
BPPV *see* Benign paroxysmal positional vertigo
BTX-A *see* Botulinum toxin A
Burkitt's lymphoma (BL), sinonasal
  and HIV, patient with recalcitrant rhinosinusitis subsequently diagnosed with, 433

C

Cancer
  head and neck
    chemoradiation therapy for, decreased hearing after, 76
  laryngeal
    gastroesophageal reflux disease as a causative factor in, 119
  thyroid
    external beam radiotherapy (EBRT) for differentiated, 24
Carcinoma
  epithelial-myoepithelial (EMC)
    in the base of the tongue, 58
  mucoepidermoid
    of parotid gland, 344
  nasopharyngeal
    correlation between proliferating cell nuclear antigen (PCNA) and p53 protein expression and 5-year survival rate in, 101
    endoscopic sinus surgery (ESS) for the treatment of chronic rhinosinusitis in patients with postirradiated, 46
  parathyroid
    sporadic concurrence of parathyroid adenoma and, 346
  thyroid
    radioguided neck surgery in recurrent metastatic papillary, 61
Cerebellopontine angle (CPA)
  bilateral sudden sensorineural hearing loss as a presentation of metastatic adenocarcinoma of unknown primary mimicking, on the magnetic resonance image (MRI), 143
  lipoma of, 271

0196-0709/$ – see front matter
doi:10.1016/S0196-0709(06)00244-4

Cervical fusion
anterior, as a sequela of pharyngeal diverticulum, 295
Chemoradiation therapy
for head and neck cancer, decreased hearing after, 76
Children
characteristics of sensorineural hearing loss in, with inner ear anomalies, 33
cochlear nerve size evaluation in, with sensorineural hearing loss by high-resolution magnetic resonance imaging, 166
management of refractory chronic rhinosinusitis in, 384
a pilot treatment algorithm for tympanic membrane perforations in, after tympanostomy tube placement, 238
pulmonary arterial pressure in, with Croup syndrome, 150
Cholesteatoma
diagnosis and management of aggressive, acquired, with skull base and calvarial involvement, 291
Cholesteatomas
congenital, clinical features and surgical treatment of, 299
and dysgeusia, 353
Cholesterol granuloma
patient with, of maxillary sinus with sinonasal polyp, 370
Chondromyxoid fibroma (CMF)
of sphenoid sinus mimicking mucocele, 406
Chronic rhinosinusitis (CRS)
management of, in children, 384
treatment of, exacerbations due to methicillin-resistant *Staphylococcus aureus* with mupirocin irrigations, 161
CMF *see* Chondromyxoid fibroma
Cochlear implantation
in a patient with profound sensorineural hearing loss due to superficial siderosis, 255
Cochlear nerve
size evaluation in children with sensorineural hearing loss by high-resolution magnetic resonance imaging, 166
Cogan's syndrome
a cause of progressive hearing deafness, 68
Computed tomography (CT)
prediction of deep neck space abscess (DNSIs) using, 244
Congenital cholesteatomas
clinical features and surgical treatment of, 299
COX-2 *see* Cyclooxygenase 2
Craniopharyngioma
image-guided endoscopic endonasal resection of a recurrent, 266
Croup syndrome
pulmonary arterial pressure in children with, 150
CRS *see* Chronic rhinosinusitis
CT *see* Computed tomography
Cyclooxygenase 2 (COX-2)
expression in otitis media with effusion (OME), 81
Cysts
branchial cleftlike
of the thyroid, 146

D

Dacryocystoceles, recurrent bilateral
in patient with Wegener's granulomatosis, 409
Deep neck space infections (DNSIs)
prediction using computed tomography (CT), 244
Descending necrotizing mediastinitis (DNM)
tonsillitis, mediastinal drainage, and, 341
Distraction osteogenesis (DO), mandibular
to relieve Pierre Robin airway obstruction, 436
DNM *see* Descending necrotizing mediastinitis
DNSIs *see* Deep neck space infections
DO *see* Distraction osteogenesis
Donor-specific transfusion
effect of, upon rejection in a rat model of laryngeal transplantation, 13
Dysgeusia
and cholesteatoma, 353

E

EASS *see* Endoscope-assisted submandibular sialadenectomy
EBRT *see* External beam radiotherapy
EDCR *see* Endoscopic dacryocystorhinostomy
Endolymphatic sac epithelium
papillary cystic low-grade adenocarcinoma of, 362
Endonasal endoscopic approach
to resect a complex recurrent craniopharyngioma, 266
Endoscope-assisted submandibular sialadenectomy (EASS)
technical feasibility and potential role of, using bipolar dissection, 306
Endoscopic dacryocystorhinostomy (EDCR)
in patients taking aspirin perioperatively, 323
in patients taking warfarin perioperatively, 327
Endoscopic resection of the tumor
of ethmoidal hemangioendothelioma, 287
Endoscopic sinus surgery (ESS)
for the treatment of chronic rhinosinusitis in patients with postirradiated nasopharyngeal carcinoma, 46
Endoscopic transnasal approach
for retrieval of foreign bodies from pterygomaxillary fossa, 440
Endotracheal intubation
prolonged, patients in the intensive care unit (ICU), middle ear effusion (MEE) in, 109
Eosinophilia
factors contributing to nasal allergic late phase, 190
Epidermoid formation
the potential precursor of congenital cholesteatomas (letter), 71
Esophageal regurgitation
as causes of inspiratory distress after thyroplastic surgeries, 425
Esophagus
management of open safety pin ingestion from, 413
ESS *see* Endoscopic sinus surgery

External beam radiotherapy (EBRT)
for differentiated thyroid cancer, 24

F
Facial nerve paralysis
and undiagnosed recurrence of cutaneous malignancy, evaluation and treatment of, 139
Fibula free flap donor site morbidity
evaluation of, 29
FloSeal
affect on bleeding and healing after functional endoscopic sinus surgery, 86
Follicular dendritic cell sarcomas
of the tonsil, 207
Foreign bodies
in aerodigestive tract, clinical study of cases of, 373
endoscopic transnasal approach for retrieval of, from pterygomaxillary fossa, 440

G
Gastroesophageal reflux disease (GERD)
as a causative factor in several laryngeal cancer, 119
in Chinese patients, 186
GERD *see* Gastroesophageal reflux disease

H
Head and neck cancer
decreased hearing after chemoradiation therapy for, 76
Head and neck surgeon
as oncologist (editorial), 73
Hearing loss
cochlear nerve size evaluation in children with sensorineural, by high-resolution magnetic resonance imaging, 166
due to chemoradiation therapy for head and neck cancer, 76
due to Cogan's syndrome, 68
in physician, 18
sensorineural
bilateral sudden, as a presentation of metastatic adenocarcinoma of unknown primary mimicking cerebellopontine angle tumor on the magnetic resonance image, 143
cochlear implantation in a patient with profound, due to superficial siderosis, 255
Hemangioendothelioma (HE)
ethmoidal, endoscopic resection of the tumor of, 287
HIV
infection and sinonasal Burkitt's lymphoma, patient with recalcitrant rhinosinusitis subsequently diagnosed with, 433
manifestations in otolaryngology, 179
Hypercalcemia
malignant, associated with a parathyroid macrocyst and the early genesis of a giant cell tumor, 54
Hyperparathyroidism
brown tumors of the jaws associated with primary or secondary, 281

I
Inflammatory pseudotumor
of the nasal cavity, 275
Inner ear anomalies
characteristics of sensorineural hearing loss in children with, 33
Internal auditory canal
solitary metastasis of lung carcinoma into, 214
Intracranial complications
secondary to otitis media (OM), 390
Inverted papillomas (IPs)
management of, of the nose and paranasal sinuses, 233
unilateral multifocal, of the maxillary and frontal sinus, 263

J
Jaw bone
surface osteosarcoma of, 349

L
Laryngeal manifestations
and pediatric laryngopharyngeal reflux (PLPR), 200
Laryngeal transplantation
effect of donor-specific transfusion upon rejection in a rat model of, 13
Laryngopharyngeal reflux (LPR)
prevalence of pH-documented, in Chinese patients with clinically suspected reflux laryngitis, 186
Laryngotracheitis. *see* Croup syndrome
Lipoma
of the cerebellopontine angle (CPA), 271
LPR. *see* Laryngopharyngeal reflux
Lung carcinoma
solitary metastasis of, into the internal auditory canal, 214
Lymphatic metastasis
of malignant tumors in the periorbital area, pattern of, 5
Lymphocyte subsets
modification of, in patients with rhinoscleroma, 401

M
Magnetic resonance imaging (MRI)
bilateral sudden sensorineural hearing loss as a presentation of metastatic adenocarcinoma of unknown primary mimicking cerebellopontine angle tumor in, 143
high-resolution (HRMR)
cochlear nerve size evaluation in children with sensorineural hearing loss by, 166
Mediastinal drainage
descending necrotizing mediastinitis, tonsillitis, and, 341
MEE *see* Middle ear effusion

Methicillin-resistant *Staphylococcus aureus* (MRSA)
with mupirocin irrigations, chronic rhinosinusitis (CRS) exacerbations due to, 161
Middle ear effusion (MEE)
in intensive care unit patients with prolonged endotracheal intubation, 109
MRI *see* Magnetic resonance imaging
MRSA *see* Methicillin-resistant *Staphylococcus aureus*
Mucoepidermoid carcinoma
of parotid gland, 344

N

Nasal cavity
inflammatory pseudotumor of, 275
Nasal myiasis
pneumocephalus after atrophic rhinitis with, 133
NHLs *see* Non-Hodgkin lymphomas
Non-Hodgkin lymphomas (NHLs)
primary, presented initially as benign disease, 217

O

Obstructive sleep apnea (OSA)
screening for, 112
solitary fibrous tumors (SFTs) of the retropharynx causing, 259
Oronasal fistula
reconstruction of midline, using palatal flap, 268
Ossifying fibroma, isolated
of mastoid cavity of temporal bones, 358
Osteosarcoma, surface
of jaw bone, 349
Otitis media (OM)
intracranial complications secondary to, 390
Otitis media with effusion (OME)
Cyclooxygenase 2 (COX-2) expression in, 81
Otolaryngology
HIV manifestations in, 179
Otosclerosis
etiopathogenesis and histopathology of, 334
variation in bone conduction in patients undergoing stapedotomy for, 330

P

PA *see* Peritonsillar abscesses
Palatal flap
use of, for closure of an oronasal fistula, 268
Palivizumab
potential impact on pediatric airway reconstruction, 9
Para-alar crescentic subcutaneous pedicle flap
for severe stenosis of anterior nares, 211
Parathyroid adenoma
functioning, 204
sporadic concurrence of parathyroid carcinoma and, 346
Parathyroid carcinoma
concurrent nonfunctioning, 204
sporadic concurrence of parathyroid adenoma and, 346
Parathyroid macrocyst
malignant hypercalcemia associated with, and the early genesis of a giant cell tumor, 54
Parotid gland
mucoepidermoid carcinoma of, 344
Parotid neoplasms
preoperative cytology in the management of, 96
PCNA *see* Proliferating cell nuclear antigen
Pediatric airway reconstruction
potential impact of palivizumab on, 9
Pediatric laryngopharyngeal reflux (PLPR)
and laryngeal manifestations, 200
Periorbital area
pattern of lymphatic metastasis of malignant tumors in, 5
Peritonsillar abscesses (PA), bilateral
case report and review of, 443
Pharyngeal diverticulum
as a sequela of anterior cervical fusion, 295
Pierre Robin sequence
bilateral mandibular distraction osteogenesis for infant with, and severe airway obstruction, 436
PLPR *see* Pediatric laryngopharyngeal reflux
Pneumocephalus
after atrophic rhinitis with nasal myiasis, 133
Positional downbeating nystagmus (pDBN)
anterior semicircular canal benign paroxysmal positional vertigo and, 173
Postparotidectomy fistula
role of botulinum toxin in treatment of, 221
Potassium-titanyl-phosphate (KTP) laser
application of, in the excision of pyriform fossa hemangioma, 136
Pott's disease
asymptomatic retropharyngeal abscess related to cervical, 278
Preauricular sinuses
clinical presentation, treatment, and recurrence of, 396
Preoperative cytology
in the management of parotid neoplasms, 96
Proliferating cell nuclear antigen (PCNA)
and p53 protein expression and 5-year survival rate in nasopharyngeal carcinoma, correlation between, 101
Pterygomaxillary fossa
endoscopic transnasal approach for retrieval of foreign bodies from, 440
Pulmonary arterial pressure
in children with croup syndrome, 150
Pyriform fossa hemangioma
excision of, using potassium-titanyl-phosphate (KTP) laser, 136

R

Recurrent aphthous stomatitis
investigation of possible etiologic factors, 229

Respiratory syncytial virus (RSV) infection
potential impact of palivizumab on, 9
Retropharyngeal abscess
asymptomatic, related to cervical Pott's disease, 278
Rhinoscleroma
modification of lymphocyte subsets in patients with, 401
Rhinosinusitis
chronic
management of, in children, 384
recalcitrant
patient with, subsequently diagnosed with sinonasal Burkitt's lymphoma and HIV, 433

S
Safety pin (SP), open
extraction of impacted, from esophagus, 413
SCC *see* Squamous cell carcinoma
SCL *see* Supracricoid laryngectomies
Sinonasal epithelial hyperplasia
inverted papilloma-like, overshadowing underlying sinonasal fibrosarcoma, 50
Sinonasal polyp
patient with cholesterol granuloma of maxillary sinus with, 370
Sinoorbital mucormycosis
due to *Apophysomyces elegans* in immunocompetent individuals, 366
Sinus(es)
maxillary and frontal
unilateral multifocal inverted papilloma of, 263
nose and paranasal
management of inverted papillomas (IPs) of, 233
preauricular
clinical presentation, treatment, and recurrence of, 396
sphenoid
chondromyxoid fibroma of, mimicking mucocele, 406
surgery
short- and long-term outcomes of asthma, after, in patients with aspirin triad disease (ATD), 154
Squamous cell carcinoma (SCC)
of subglottis, 1
Stapedotomy
variation in bone conduction in patients undergoing, for otosclerosis, 330
Subglottis
squamous cell carcinoma (SCC) of, 1
Sublingual hematoma
after the administration of oral anticoagulants, upper airway obstruction due, 129
Superficial siderosis
cochlear implantation in a patient with profound sensorineural hearing loss due to, 255
Supracricoid laryngectomies (SCL)
objective, subjective, and self-assessment long-term results of voice and swallowing in patients undergoing, 378
Supraglottic stenosis, isolated
surgical treatment and etiologies of, 355
Surgery
neck, radioguided
in recurrent metastatic papillary thyroid carcinoma, 61
sinus
short- and long-term outcomes of asthma, after, in patients with aspirin triad disease (ATD), 154
thyroplastic
esophageal regurgitation as causes of inspiratory distress after, 425

T
Temporal bones
isolated ossifying fibroma of mastoid cavity of, 358
Thyroplastic surgeries
esophageal regurgitation as causes of inspiratory distress after, 425
Tonsillitis
descending necrotizing mediastinitis, mediastinal drainage, and, 341
Trachea
evaluation of narrowing of, after surgical tracheostomy, 310
Tracheotomy, elective surgical
evaluation of narrowing of trachea after, 310
Transsphenoidal meningocele, congenital
case report of, 422
Tricholemmoma
of nose, case report of, 430
Tuberculosis
in ear, nose, and throat practice: its presentation and diagnosis, 39
Tumor(s)
brown
of the jaws associated with primary or secondary hyperparathyroidism, 281
cerebellopontine angle (CPA)
bilateral sudden sensorineural hearing loss as a presentation of metastatic adenocarcinoma of unknown primary mimicking, on the magnetic resonance image (MRI), 143
giant cell
at the lateral skull base, 64
malignant
in the periorbital area, pattern of lymphatic metastasis in, 5
solitary fibrous (SFTs)
of the retropharynx causing obstructive sleep apnea, 259
vascular
endoscopic resection of ethmoidal hemangioendothelioma (HE), 287
Tympanic membrane perforations
in children after tympanostomy tube placement, a pilot treatment algorithm for, 238

Tympanostomy tube placement
a pilot treatment algorithm for tympanic membrane perforations in children after, 238

U
Upper airway obstruction
due to sublingual hematoma after anticoagulation therapy with acenocoumarol, 129

V
Vasomotor rhinitis (VMR)
effect of intranasal injection of BTX-A on symptoms of, 314
Vestibular injury
due to twig entering via external auditory meatus, 418
VFI *see* Vocal fold injection
VFMI *see* Vocal fold motion impairment
Videolaryngoscopy, intra-office flexible
safety and cost-effectiveness of, with transoral vocal fold injection in dysphagic patients, 319
VMR *see* Vasomotor rhinitis
Vocal fold injection (VFI)
with intra-office flexible videolaryngoscopy in dysphagic patients, 319
Vocal fold motion impairment (VFMI)
changing trends in the nature of, 106

W
Warfarin
EDCR in patients with distal nasolacrimal obstruction taking, perioperatively, 327
Wegener's granulomatosis (WG)
recurrent bilateral dacryocystoceles in, 409
WG *see* Wegener's granulomatosis